# 1003301-000175-SEQ Listing SEQUENCE LISTING

```
<110>
       Hanson, Lars A.
       Baltzer, Lars
Mattsby Baltzer, Inger
Dolphin, Gunnar T.
<120>
       Peptides Based on the Sequence of Human Lactoferrin
       and Their Use
<130>
       003300 723
<140>
       US 09/743,107
       2001 08 21
<141>
<150>
       PCT/SE99/01230
<151>
       2000 09 29
       SE 9802441 7
<150>
<151>
       1998 07 06
<150>
       SE 9802562 0
       1998 07 17
<151>
<150>
       SE 9804614 7
<151>
       1998 12 29
<160>
       102
<170>
       PatentIn version 2.1
<210>
       25
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
<222>
       MOD_RES
        (1)
<223>
       ACETYLATION
<220>
<221>
       PEPTIDE
<222>
        (1)
<223>
       Amino acid 1 is Xaa wherein Xaa = Glu or no amino acid.
<220>
<221>
<222>
       PEPTIDE
        (2)
<223>
       Amino acid 2 is Xaa wherein Xaa = Ala or no amino acid.
<220>
<221>
       PEPTIDE
<222>
        (5)
<223>
       Amino acid 5 is Xaa wherein Xaa = Cys or Ala.
<220>
<221>
       PEPTIDE
<222>
<223>
       Amino acid 7 is Xaa wherein Xaa = Gln or Lys.
<220>
<221>
<222>
       PEPTIDE
        (11)
<223>
       Amino acid 11 is Xaa wherein Xaa = Asn or Asp.
```

```
1003301-000175-SEQ Listing
<220>
<221>
       PEPTIDE
<222>
      (17)..(25)
      Amino acids 17 25 are Xaa wherein Xaa = Gly, Pro, Pro, Val, Ser,
<223>
       Cys, Ile, Lys, Arg
<220>
<221>
       MOD_RES
<222>
       (25)
<223>
       AMIDATION
<220>
<223>
       Description of Artificial Sequence: of natural or artificial
       origin, corresponding to modification of the sequence
       consisting of aa 16 40 in human lactoferrin
<400>
      1
Xaa Xaa Thr Lys Xaa Phe Xaa Trp Gln Arg Xaa Met Arg Lys Val Arg
1 10 15
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 2
<211> 25
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (25)
<223> AMIDATION
<220>
<223> Description of Artificial Sequence: of natural or
      artificial origin, corresponding to a modification
      of the sequence consisting of amino acids 16 40 in
      human lactoferrin
Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg 1 	 5 	 10 	 15
Gly Pro Pro Val Ser Cys Ile Lys Arg
             20
<210> 3
<211> 25
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (25)
<223> AMIDATION
```

```
<220>
<221> DISULFID
<222> (5)..(22)
<220>
<223> Description of Artificial Sequence: of natural or
      artificial origin, corresponding to a modification of the sequence consisting of amino acids 16 40 in
      human lactoferrin
<400> 3
Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
Gly Pro Pro Val Ser Cys Ile Lys Arg
<210> 4
<211> 23
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES <222> (23)..(23)
<223> AMIDATION
<220>
<223> Description of Artificial Sequence: of natural or
       artificial origin, corresponding to a modification
       of the sequence consisting of amino acids 18 40 in
       human lactoferrin
<400> 4
Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg Gly Pro
                                          10
                                                                 15
Pro Val Ser Cys Ile Lys Arg
20
<210> 5
<211> 23
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES <222> (23)
<223> AMIDATION
<220>
<221> DISULFID
```

```
1003301-000175-SEQ Listing
<222> (3)..(20)
<220>
<223> Description of Artificial Sequence: of natural or artificial origin, corresponding to a modification
       of the sequence consisting of amino acids 18 40 in
       human lactoferrin
<400> 5
Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg Gly Pro
Pro Val Ser Cys Ile Lys Arg
20
<210> 6
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (14)
<223> AMIDATION
<220>
<223> Description of Artificial Sequence: of natural or
       artificial origin, corresponding to a modification
       of the sequence consisting of amino acids 18 31 in
       human lactoferrin
<400> 6
Thr Lys Ala Phe Lys Trp Gln Arg Asp Met Arg Lys Val Arg 1 10
<210> 7
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (14)
<223> AMIDATION
<220>
<221> BINDING
<222> (5)..(9)
<223> LACTAM
```

<223> Description of Artificial Sequence: of natural or

artificial origin, corresponding to a modification

Page 4

<220>

```
1003301-000175-SEQ Listing of the sequence consisting of aa 18 31 in human lactoferrin; a lactam is formed between aa 5 and 9
<400> 7
Thr Lys Ala Phe Lys Trp Gln Arg Asp Met Arg Lys Val Arg
1 10
<210> 8
<211> 20
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide of
        natural or artificial origin consisting of the amino acids in positions 12 31 of the protein human lactoferrin
<400> 8
Val Ser Gln Pro Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met
                                                     10
Arg Lys Val Arg
<210> 9
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide of
natural or artificial origin consisting of the
amino acids in positions 12 18 of the protein
         human lactoferrin
<400> 9
Val Ser Gln Pro Glu Ala Thr
<210> 10
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide of
         natural or artificial origin consisting of the amino acids in positions 13 19 of the protein
         human lactoferrin
<400> 10
Ser Gln Pro Glu Ala Thr Lys
<210> 11
<211> 7
<212> PRT
<213> Artificial Sequence
```

```
1003301-000175-SEQ Listing
<220>
<223> Description of Artificial Sequence: Peptide of
natural or artificial origin consisting of the
        amino acids in positions 14 20 of the protein human lactoferrin
<400> 11
Gln Pro Glu Ala Thr Lys Cys
1 5
<210> 12
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide of
        natural or artificial origin consisting of the amino acids in positions 15 21 of the protein human lactoferrin
<400> 12
Pro Glu Ala Thr Lys Cys Phe
<210> 13
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide of
        natural or artificial origin consisting of the
        amino acids in positions 16 22 of the protein human lactoferrin
<400> 13
Glu Ala Thr Lys Cys Phe Gln
1 5
<210> 14
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the aming acids in positions 17 23 of the protein
        human lactoferrin
<400> 14
Ala Thr Lys Cys Phe Gln Trp
<210> 15
<211> 7
<212> PRT
```

```
<220>
<223> Description of Artificial Sequence: Peptide of
        natural or artificial origin consisting of the amino acids in positions 18 24 of the protein human lactoferrin
<400> 15
Thr Lys Cys Phe Glm Trp Gln
<210> 16
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the
        amino acids in positions 19 25 of the protein
        human lactoferrin
<400> 16
Lys Cys Phe Gln Trp Gln Arg
<210> 17
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide of
natural or artificial origin consisting of the
amino acids in positions 20 26 of the protein
        human lactoferrin
<400> 17
Cys Phe Gln Trp Gln Arg Asn
<210> 18
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide of
        natural or artificial origin consisting of the amino acids in positions 21 27 of the protein
         human lactoferrin
<400> 18
Phe Gln Trp Gln Arg Asn Met
<210> 19
<211> 7
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: Peptide of
        natural or artificial origin consisting of the amino acids in positions 22 28 of the protein
        human lactoferrin
<400> 19
Gln Trp Gln Arg Asn Met Arg
<210> 20
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide of
        natural or artificial origin consisting of the amino acids in positions 23 29 of the protein human lactoferrin
<400> 20
Trp Gln Arg Asn Met Arg Lys
<210> 21
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide of
        natural or artificial origin consisting of the
        amino acids in positions 24 30 of the protein human lactoferrin
<400> 21
Gln Arg Asn Met Arg Lys Val
<210> 22
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 25 31 of the protein
        human lactoferrin
<400> 22
Arg Asn Met Arg Lys Val Arg
<210> 23
<211> 8
<212> PRT
```

<220>

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 16 23 of the protein human lactoferrin

<400> 23 Glu Ala Thr Lys Cys Phe Gln Trp

<210> 24

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 16 24 of the protein human lactoferrin

<400> 24 Glu Ala Thr Lys Cys Phe Gln Trp Gln

<210> 25

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 16 25 of the protein human lactoferrin

<400> 25 Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg

<210> 26

<211> 11

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: Peptide of

natural or artificial origin consisting of the amino acids in positions 16 26 of the protein human lactoferrin

<400> 26

Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn 1 5 10

<210> 27 <211> 12

```
1003301-000175-SEQ Listing
```

```
<212> PRT
```

<220>

- <223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 16 27 of the protein human lactoferrin

<210> 28

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

- <223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 16 28 of the protein human lactoferrin

<210> 29

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

- <223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 16 29 of the protein human lactoferrin

<210> 30

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 16 30 of the protein human lactoferrin

<400> 30

Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val

<210> 31 <211> 16

```
1003301-000175-SEQ Listing

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 16 31 of the protein human lactoferrin

<400> 31
Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
1 5 10 15
```

<210> 32 <211> 19 <212> PRT <213> Artificial Sequence

ZZIJ/ Al CITTCIAT Sequence

<220>
<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 13 31 of the protein human lactoferrin

Lys Val Arg

<210> 33 <211> 18 <212> PRT <213> Artificial Sequence <220>

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 14 31 of the protein human lactoferrin

Val Arg

<210> 34 <211> 17 <212> PRT <213> Artificial Sequence <220>

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 15 31 of the protein human lactoferrin

<400> 34 Pro Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Page 11

15

Arg

<210> 35

<211> 15 <212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 17 31 of the protein human lactoferrin!

Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg

<210> 36

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide of

natural or artificial origin consisting of the amino acids in positions 18 31 of the protein human lactoferrin

<400> 36

Thr Lys Cys Phe Glm Trp Gln Arg Asn Met Arg Lys Val Arg

<210> 37 <211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 19 31 of the protein human lactoferrin

<400> 37

Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg

<210> 38

<211> 12

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 20 31 of the protein Page 12

human lactoferrin

```
<400> 38
Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
```

- <210> 39 <211> 11
- <212> PRT
- <213> Artificial Sequence

- <223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 21 31 of the protein human lactoferrin
- <400> 39 Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
- <210> 40
- <211> 10
- <212> PRT
- <213> Artificial Sequence

<220>

- <223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 22 31 of the protein human lactoferrin
- <400> 40 Gln Trp Gln Arg Asn Met Arg Lys Val Arg
- <210> 41
- <211> 9
- <212> PRT
- <213> Artificial Sequence

<220>

- <223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 23 31 of the protein human lactoferrin
- <400> 41 Trp Gln Arg Asn Met Arg Lys Val Arg
- <210> 42
- <211> 8
- <212> PRT
- <213> Artificial Sequence

<223> Description of Artificial Sequence: Peptide of natural or artificial origin consisting of the amino acids in positions 24 31 of the protein Page 13

```
human lactoferrin
```

```
<400> 42
Gln Arg Asn Met Arg Lys Val Arg
```

- <210> 43 <211> 11
- <212> PRT
- <213> Artificial Sequence
- <220>
- PEPTIDE <221>

<220>

- <223> Description of Artificial Sequence: of natural or artificial origin, corresponding to a modification of the sequence consisting of amino acids 21 31 in human lactoferrin
- <400> 43 Phe Xaa Trp Xaa Arg Xaa Met Arg Lys Xaa Arg
- <210> 44
- <211> 11
- <212> PRT
- <213> Artificial Sequence

- <223> Description of Artificial Sequence: of natural or artificial origin, corresponding to the sequence consisting of amino acids 21 31 in human lactoferrin
- <400> 44 Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
- <210> 45
- <211> 11
- <212> PRT
- <213> Artificial Sequence

<220>

- <223> Description of Artificial Sequence:of natural or artificial origin, corresponding to the sequence consisting of aa 21 31 in human lactoferrin wherein one aa has been substituted
- <400> 45
- Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg

<210> 46 <211> 12

```
1003301-000175-SEQ Listing
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<400> 46
Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
<210> 47
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD__RES
<222> (12)
<223> AMIDATION
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<400> 47
Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
<210> 48
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence of natural or
        artificial origin, corresponding to the sequence consisting of aa 19 31 in human lactoferrin
        wherein one aa has been substituted
<400> 48
Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
1 5 10
<210> 49
<211> 13
<212> PRT
```

<220>

```
1003301-000175-SEQ Listing
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (13)
<223> AMIDATION
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 19 31 in human lactoferrin
       wherein one aa has been modified
<400> 49
Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg 10^{-1}
<210> 50
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 18 31 in human lactoferrin
       wherein one aa has been substituted
<400> 50
Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
<210> 51
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (14)
<223> AMIDATION
```

<220>
<223> Description of Artificial Sequence:of natural or artificial origin, corresponding to the sequence consisting of aa 18 31 in human lactoferrin

wherein one aa has been substituted

```
<210> 52
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
      artificial origin, corresponding to a modification
      of the sequence consisting of amino acids 18 31 in
      human lactoferrin
Thr Lys Ala Phe Lys Trp Gln Arg Asp Met Arg Lys Val Arg
<210> 53
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
       artificial origin, corresponding to a modification
       of the sequence consisting of amino acids 18 31 in
       human lactoferrin
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (14)
<223> AMIDATION
Thr Lys Ala Phe Lys Trp Gln Arg Glu Met Arg Lys Val Arg 1 \hspace{1cm} 5 \hspace{1cm} 10
<210> 54
<211> 14
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: of natural or
       artificial origin, corresponding to a modification
       of the sequence consisting of aa 18 31 in human lactoferrin; a lactam is formed between aa 5 and 9
<220>
<221> BINDING
<222> (5)..(9)
<223> LACTAM
<400> 54
Thr Lys Ala Phe Lys Trp Gln Arg Asp Met Arg Lys Val Arg
```

```
1003301-000175-SEQ Listing
<211> 14
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: of natural or
       artificial origin, corresponding to a modification of the sequence consisting of aa 18 31 in human lactoferrin; a lactam is formed between aa 5 and 9
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (14)
<223> AMIDATION
<220>
<221> BINDING <222> (5)..(9)
<223> LACTAM
<400> 55
Thr Lys Ala Phe Lys Trp Gln Arg Glu Met Arg Lys Val Arg
<210> 56
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
        artificial origin, corresponding to a modification of the sequence consisting of amino acids 18 31 in human lactoferrin
<400> 56
Thr Lys Lys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
<210> 57
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
        artificial origin, corresponding to a modification of the sequence consisting of amino acids 18 31 in human lactoferrin
<220>
<221> MOD_RES <222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
```

<222> (14)

```
1003301-000175-SEQ Listing
<223> AMIDATION
<400> 57
Thr Lys Lys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
<210> 58
<211> 14
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: of natural or
      artificial origin, corresponding to a modification
      of the sequence consisting of amino acids 18 31 in
      human lactoferrin
<400> 58
Thr Lys Lys Phe Gln Trp Asp Arg Lys Met Arg Lys Asp Arg
<210> 59
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
      artificial origin, corresponding to a modification
      of the sequence consisting of amino acids 18 31 in
      human lactoferrin
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (14)
<223> AMIDATION
<400> 59
Thr Lys Lys Phe Gln Trp Asp Arg Lys Met Arg Lys Asp Arg
<210> 60
<211> 14
<212> PRT
```

```
<220>
<223> Description of Artificial Sequence: of natural or artificial
    origin, corresp. to a modification of the seq. consisting
    of aa 18 31 in human lactoferrin; lactams formed between aa
    3 and 7, and 9 and 13
```

```
<220>
<221> BINDING
<222> (3)..(7)
<223> LACTAM
```

```
1003301-000175-SEQ Listing
<220>
<221> BINDING <222> (9)..(13)
<223> LACTAM
<400> 60
Thr Lys Lys Phe Gln Trp Asp Arg Lys Met Arg Lys Asp Arg
<210> 61
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or artificial origin, corresp. to a modification of the seq. consisting of aa 18 31 in human lactoferrin; lactams formed between aa 3 and 7, and 9 and 13
<220>
<221> MOD__RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (14)
<223> AMIDATION
<220>
<221> BINDING
<222> (3)..(7)
<223> LACTAM
<220>
<221> BINDING
<222> (9)..(13)
<223> LACTAM
<400> 61
Thr Lys Lys Phe Gln Trp Asp Arg Lys Met Arg Lys Asp Arg
<210> 62
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
        artificial origin, corresponding to the sequence consisting of amino acids 17 31 in human
        lactoferrin
<400> 62
```

```
1003301-000175-SEQ Listing
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
      artificial origin, corresponding to a modification
      of the sequence consisting of amino acids 17 31 in
      human lactoferrin
<220>
<221> MOD_RES <222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (15)
<223> AMIDATION
<400> 63
Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
<210> 64
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
      artificial origin, corresponding to the sequence
       consisting of amino acids 16 31 in human
       lactoferrin
<400> 64
Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
1 10 15
<210> 65
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
       artificial origin, corresponding to a modification
       of the sequence consisting of amino acids 16 31 in
       human lactoferrin
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (16)
<223> AMIDATION
<400> 65
Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
1 10 15
```

```
<210> 66
<211> 17
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
artificial origin, corresponding to the sequence
consisting of amino acids 15 31 in human
       lactoferrin
<400> 66
Pro Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val
1 10 15
Arg
<210> 67
<211> 17
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
       artificial origin, corresponding to a modification
       of the sequence consisting of amino acids 15 31 in
       human lactoferrin
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES <222> (17)
<223> AMIDATION
<400> 67
Pro Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val
Arg
<210> 68
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
        artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
        wherein one aa has been substituted
Ala Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
1 10
```

```
<210> 69
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<400> 69
Cys Ala Gln Trp Gln Arg Asn Met Arg Lys Val Arg
1 5 10
<210> 70
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<400> 70
Cys Phe Ala Trp Gln Arg Asn Met Arg Lys Val Arg
<210> 71
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<400> 71
Cys Phe Gln Ala Gln Arg Asn Met Arg Lys Val Arg
1 5 10
<210> 72
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<400> 72
Cys Phe Gln Trp Ala Arg Asn Met Arg Lys Val Arg
                                             Page 23
```

5

<210> 73 <211> 12

<212> PRT

<213> Artificial Sequence

<220>

1

<223> Description of Artificial Sequence:of natural or artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin wherein one aa has been modified

<400> 73 Cys Phe Gln Trp Gln Ala Asn Met Arg Lys Val Arg

<210> 74 <211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:of natural or artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin wherein one aa has been substituted

<400> 74 Cys Phe Gln Trp Gln Arg Ala Met Arg Lys Val Arg

<210> 75

<211> 12 <212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:of natural or artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin wherein one aa has been substituted

Cys Phe Gln Trp Gln Arg Asn Ala Arg Lys Val Arg

<210> 76

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:of natural or artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin wherein one aa has been substituted

<400> 76

```
Cys Phe Gln Trp Gln Arg Asn Met Ala Lys Val Arg
1 5 10
<210> 77
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<400> 77
Cys Phe Gln Trp Gln Arg Asn Met Arg Ala Val Arg
<210> 78
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<400> 78
Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Ala Arg
<210> 79
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence
       consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<400> 79
Cys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Ala
<210> 80
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
```

```
1003301-000175-SEQ Listing
<400> 80
Cys Phe Gln Leu Gln Arg Asn Met Arg Lys Val Arg
<210> 81
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
        artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
        wherein one aa has been substituted
<400> 81
Cys Phe Gln Trp Gln Lys Asn Met Arg Lys Val Arg
<210> 82
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
        artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
        wherein one aa has been substituted
<400> 82
Cys Phe Gln Trp Gln Arg Asn Leu Arg Lys Val Arg
<210> 83
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
        artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
        wherein one aa has been substituted
<400> 83
Cys Phe Gln Trp Gln Arg Asn Met Lys Lys Val Arg
<210> 84
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: of natural or
artificial origin, corresponding to the sequence
consisting of aa 20 31 in human lactoferrin
```

wherein one aa has been substituted

```
1003301-000175-SEQ Listing
<400> 84
Cys Phe Gln Trp Glu Arg Asn Met Arg Lys Val Arg
<210> 85
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
      artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
      wherein one aa has been substituted
<400> 85
Cys Phe Gln Trp Gln Glu Asn Met Arg Lys Val Arg
<210> 86
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
      artificial origin, corresponding to the sequence
       consisting of aa 20 31 in human lactoferrin
      wherein one aa has been substituted
<400> 86
Cys Phe Gln Trp Gln Arg Glu Met Arg Lys Val Arg
<210> 87
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<220>
<221>
       MISC_FEATURE
<222>
        (5)
       Amino acid 5 is Xaa wherein Xaa = Orn.
<400> 87
Cys Phe Gln Trp Xaa Arg Asn Met Arg Lys Val Arg
1 10
<210> 88
<211> 12
```

<212> PRT

<213> Artificial Sequence

```
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<220>
<221>
<222>
        MISC_FEATURE
        (5)
       Amino acid 5 is Xaa wherein Xaa = Nle.
<223>
Cys Phe Gln Trp Xaa Arg Asn Met Arg Lys Val Arg
<210> 89
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<220>
<221>
<222>
        MISC_FEATURE
        (7)
<223>
       Amino acid 7 is Xaa wherein Xaa = Orn.
<400> 89
Cys Phe Gln Trp Gln Arg Xaa Met Arg Lys Val Arg
<210> 90
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein one aa has been substituted
<220>
<221>
       MISC_FEATURE
<222>
        (7)
        Amino acid 7 is Xaa wherein Xaa = Nle.
<400> 90
Cys Phe Gln Trp Gln Arg Xaa Met Arg Lys Val Arg
<210> 91
<211> 12
<212> PRT
```

```
1003301-000175-SEQ Listing
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
artificial origin, corresponding to the sequence
consisting of aa 20 31 in human lactoferrin
        wherein one aa has been substituted
Cys Phe Gln Trp Lys Arg Asn Met Arg Lys Val Arg
1 5 10
<210> 92
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
artificial origin, corresp. to a modification of
the sequence consisting of aa 18 31 in human
         lactoferrin
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES <222> (12)
<223> AMIDATION
<220>
<221> BINDING <222> (5)..(9)
<400> 92
Cys Phe Gln Trp Lys Arg Asn Met Arg Lys Val Arg
<210> 93
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:of natural or
         artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
         wherein some aa have been substituted
<400> 93
Cys Phe Gln Trp Lys Arg Ala Met Arg Lys Val Arg
1 10
```

<210> 94 <211> 12 <212> PRT

```
1003301-000175-SEQ Listing
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein some aa have been substituted
<400> 94
Cys Phe Ala Trp Lys Arg Asn Met Arg Lys Val Arg 1
<210> 95
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein some aa have been substituted
<400> 95
Cys Phe Ala Trp Gln Arg Ala Met Arg Lys Val Arg
<210> 96
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresponding to the sequence consisting of aa 20 31 in human lactoferrin
       wherein some aa have been substituted
<400> 96
Cys Phe Gln Leu Lys Lys Asn Met Lys Lys Val Arg
<210> 97
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresp. to a modification of
the sequence consisting of aa 20 31 in human
```

lactoferrin

Cys Phe Ala Leu Lys Lys Ala Met Lys Lys Val Arg

<220>

<400> 97

<221> BINDING <222> (5)..(9)

Page 30

```
<210> 98
<211> 14
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:of natural or
       artificial origin, corresp. to a modification of
the sequence consisting of aa 18 31 in human
       lactoferrin
<220>
<221> BINDING <222> (5)..(9)
<220>
<221> MOD_RES
<222> (1)
<223> ACETYLATION
<220>
<221> MOD_RES <222> (14)
<223> AMIDATION
<400> 98
Thr Lys Lys Phe Gln Trp Gln Arg Asn Met Arg Lys Val Arg
<210> 99
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:of natural or
artificial origin, corresp. to a modification of
the sequence consisting of aa 20 31 in human
        lactoferrin
<220>
         PEPTIDE
<221>
<222>
         (3)
         Amino acid 3 is Xaa wherein Xaa = Gln or Ala.
<223>
<220>
<221>
<222>
         PEPTIDE
<223>
         Amino acid 4 is Xaa wherein Xaa = Trp or Leu.
<220>
<221>
         PEPTIDE
<222>
         (5)
<223>
         Amino acid 5 is Xaa wherein Xaa = Gln, Lys, Orn, Ala or Nle.
<220>
         PEPTIDE
<221>
<222>
         Amino acid 6 is Xaa wherein Xaa = Arg, Lys or Ala.
<223>
<220>
<221>
<222>
         PEPTIDE
         (7)
```

```
1003301-000175-SEQ Listing
<223> Amino acid 7 is Xaa wherein Xaa = Asn, Orn, Ala or Nle.
<220>
<221>
<222>
       PEPTIDE
       (8)
<223>
       Amino acid 8 is Xaa wherein Xaa = Met or Leu.
<220>
<221>
<222>
       PEPTIDE
       (9)
<223>
      Amino acid 9 is Xaa wherein Xaa = Arg or Lys.
<220>
<221> BINDING
<222> (5)..(9)
<400> 99
Cys Phe Xaa Xaa Xaa Xaa Xaa Xaa Lys Val Arg
<210> 100
<211> 29
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:a fragment of
      human lactoferrin consisting of the amino acids in
      positions 12 40
<400> 100
Val Ser Gln Pro Glu Ala Thr Lys Cys Phe Gln Trp Gln Arg Asn Met
Arg Lys Val Arg Gly Pro Pro Val Ser Cys Ile Lys Arg 20 25
<210> 101
<211> 9
<212> PRT
<213> Artificial Sequence
<220>
<223> of natural or artificial origin, corresponding to
      modification of the sequence consisting of amino
      acids 16 40 in human lactoferrin of SEQ ID NO. 2
<400> 101
Gly Pro Pro Val Ser Cys Ile Lys Arg
<210> 102
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> of natural or artificial origin, not a
      modification of the sequence consisting of amino
      acids 18 31 in human lactoferrin of SEQ ID NO. 99
<400> 102
Glu Ala Thr Lys
```